Nitrogen Material Safety Data Sheet

Industrial Gas Division

Air Products and Chemicals, Inc. P.O. Box 538 Allentown, PA 18105

Tel. (215) 481-4911 · TWX 510-651-3686 CABLE-AIRPROD · TELEX 84-7416



DPM 154-2

EMERGENCY PHONE: 800—523-9374 IN PENNSYLVANIA: 800—322-9092 TRADE NAME AND SYNONYMS
Nitrogen, LIN (Liquid only)

CHEMICAL NAME AND SYNONYMS Nitrogen CAS#7727-37-9

ISSUE DATE ISSUED: 13 April 1977 AND REVISIONS Rev: 4 April 1984 N₂ MW: 28.01

CHEMICAL FAMILY

inert gas

HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE

Nitrogen is a simple asphyxiant and has no threshold limit value (TLV).

SYMPTOMS IF INGESTED, CONTACTED WITH SKIN, OR VAPOR INHALED

Nitrogen is odorless and nontoxic, but may produce suffocation by diluting the concentration of oxygen in air below levels necessary to support life. PERSONNEL, INCLUDING RESCUE WORKERS, SHOULD NOT ENTER AREAS WHERE THE OXYGEN CONCENTRATION IS BELOW 19%, UNLESS PROVIDED WITH A SELF-CONTAINED BREATHING APPARATUS OR AIRLINE RESPIRATOR. Exposure to oxygen-deficient atmospheres may produce dizziness, nausea, vomiting, loss of consciousness, and death. Death may result from errors in judgement, confusion, or loss of consciousness which prevents self-rescue. At low oxygen concentrations unconsciousness and death may occur in seconds without warning. Extensive tissue damage or burns can result from exposure to liquid nitrogen or cold nitrogen vapors.

TOXICOLOGICAL PROPERTIES

Nitrogen is a simple asphyxiant and constitutes 79% of the air we breathe. Nitrogen does not support life and may produce immediately hazardous atmospheres through the displacement of oxygen. Nitrogen under high pressure can produce narcosis even though oxygen sufficient for life is present.

RECOMMENDED FIRST AID TREATMENT

Persons suffering from lack of oxygen should be moved to areas with normal atmospheres. SELF-CONTAINED BREATHING APPARATUS MAY BE REQUIRED TO PREVENT ASPHYXIATION OF RESCUE WORKERS. Assisted respiration and supplemental oxygen should be given if the victim is not breathing. If cryogenic liquid or cold boil-off gas contacts a worker's skin or eyes, frozen tissues should be flooded or soaked with tepid water (105-115F; 41-46C). DO NOT USE HOT WATER. Cryogenic burns which result in blistering or deeper tissue freezing should be seen promptly by a physician.

FLASH POINT (Method used) N/A	AUTO IGNITION TEMP	FLAMMABLE LIMITS N/A	N/A VEL N/A
EXTINGUISHING MEDIA N/A	Tally transferrance in which to these committee gotto	ng <mark>Matakan serti menangan dal</mark> Ang manggalahan serti gangganan dal	ELECTRICAL CLASSIFICATION GROUP N/A
SPECIAL FIRE FIGHTING PROCEDURES N/A			र १ जिल्लामा अञ्चलकारिकार अस्तरकारिकार स्थाप राज्याना अस्ति सम्बद्धाः स्थापकार्यः स्थापकार्यः स्थाप
UNUSUAL FIRE AND EXPLOSION HAZARDS	i dag arang baka arbig ar sika Pari marang alamagan baka		real transport of the control of the
erick and the state of the stat	PHYSICAL D	ATA	
BOILING POINT (°F.)	FREE	ing Point (*F.) atm -346.0F (-210.0C)	Old and Broke is made the the contri
@ 1 atm320.5F (-195.8C)	W 1	Will 040.01 (E10.00)	Standard Control Associated Standard Standard
	A LO VIOLE SOLUI	BILITY IN WATER 8F (20C), 1 atm 1.52% by	volume

DISCLAIMER

Information contained in this data sheet is offered without charge for use by technically qualified personnel at their discretion and risk. All statements, technical information and recommendations contained herein are based on tests and data which we believe to be reliable, but the accuracy or completeness thereof is not guaranteed and no warranty of any kind is made with respect thereto. This information is not intended as a license to operate under or a recommendation to practice or infringe any patent of this Company or others covering any process, composition of matter or use.

Since the Company shall have no control of the use of the product described herein, the Company assumes no liability for loss or damage incurred from the proper or improper use of such product.

		X		
Λ			REACTIVITY DATA	
STABILITY	UNSTABLE	I	CONDITIONS TO AVOID	
Inert	STABLE	X	None	
INCOMPATIBILITY (Mater	ials to avoid) 🕦	i de la compania del compania del compania de la compania del compania de la compania de la compania del compania de la compania de la compania de la compania del compania		
HAZARDOUS DECOMPOS None	ITION PRODUCTS		Terror karat diperta a mata-	
HAZARDOUS POLYMERIZATION	MAY OCCUR	15/	CONDITIONS TO AVOID	
	MILL NOT OCCUR	X	None	
	Disconsisted the second	9	PILL OR LEAK PROCEDURES	

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Avoid contact of skin with liquid nitrogen or its cold boil-off gas. Flush liquid nitrogen spill with water to disperse. Ventilate enclosed areas to prevent formation of oxygen-deficient atmospheres caused by the evaporation of liquid nitrogen or the release of gaseous nitrogen.

WASTE DISPOSAL METHOD

Allow liquid nitrogen to evaporate in a well ventilated outdoor location remote from work areas. Vent nitrogen gas slowly to a well ventilated outdoor location remote from work areas. Do not attempt to dispose of residual nitrogen in compressed gas cylinders. Return cylinders to Air Products with residual pressure, the cylinder valve tightly closed and valve caps in place.

SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (Specify type)

Use self-contained breathing apparatus in oxygen-deficient atmospheres. Caution! Respirators will not function. Use may result in asphyxiation.

VENTILATION Natural or mechanical	LOCAL EXHAUST SPECIAL	
where gas is present.	MECHANICAL (General) OTHER Vents should be s	ituated to avoid higher than
		tion of nitrogen in work areas.

PROTECTIVE GLOVES

(LIN) Loose-fitting gloves of impermeable materials such as leather. Leather work gloves are recommended when handling compressed gas cylinders.

EYE PROTECTION

(LIN) Chemical goggles or safety glasses. Safety glasses are recommended when handling high-pressure cylinders.

OTHER PROTECTIVE EQUIPMENT

None

SPECIAL PRECAUTIONS*

SPECIAL LABELING INFORMATION

Nitrogen shipments must be in accordance with Department of Transportation (DOT) regulations using DOT "NON-FLAMMABLE GAS" label. Consult DOT regulations for details on the shipping of hazardous materials.

SPECIAL HANDLING RECOMMENDATIONS

Prevent contact of liquid nitrogen or cold boil-off gas with exposed skin. Prevent entrapment of liquid in closed systems. Use only in well ventilated areas. Compressed gas cylinders contain nitrogen at extremely high pressure and should be handled with care. Use a pressure-reducing regulator and pressure relief devices when connecting to lower pressure piping systems. Secure cylinders when in use. Never use direct flame to heat a compressed gas cylinder. Use a check valve to prevent back flow into storage container. Avoid dragging, rolling, or sliding cylinders, even for a short distance. Use a suitable hand truck. For additional handling recommendations on compressed gas cylinders, consult Compressed Gas Association Pamphlet P-1.

SPECIAL STORAGE RECOMMENDATIONS

Store liquid containers and cylinders in well ventilated areas. Keep cylinders away from sources of heat. Storage should not be in heavy traffic areas to prevent accidental knocking over or damage from passing or falling objects. Valve caps should remain on cylinders not connected for use. Segregate full and empty cylinders. Storage areas should be free of combustible material. Replace the cylinder cap when the cylinder is not in use. Avoid exposure to areas where salt or other corrosive chemicals are present. See Compressed Gas Association Pamphlet P-1 for additional storage recommendations.

SPECIAL PACKAGING RECOMMENDATIONS

SISON A BLANCOCK

Gaseous nitrogen containers meet DOT specifications or American Society of Mechanical Engineers (ASME) codes. Liquid nitrogen is stored in vacuum-insulated containers meeting DOT specifications or ASME codes.

OTHER RECOMMENDATIONS OR PRECAUTIONS

Liquid nitrogen is a cryogenic liquid. Materials of construction must be selected for compatibility with extremely low temperatures. Avoid use of carbon steel and other materials which become brittle at low temperatures. Compressed gas cylinders should not be refilled except by qualified producers of compressed gases. Shipment of a compressed gas cylinder filled without the permission of the owner is a violation of Federal Law. If oxygen-deficient atmospheres are suspected or can occur, use oxygen monitoring equipment to test for oxygen deficient atmospheres.

*Various Government agencies (i.e., Department of Transportation, Occupational Safety and Health Administration, Food and Drug Administration and others) may have specific regulations concerning the transportation handling, storage or use of this product which will not be reflected in this data sheet. The customer should review these regulations to ensure that he is in full compliance.

Singlified Company that been no control of the use of the group edition in the Company sessemes no juddity for institutions

Abolican Abus to seu regoldes to regold with most beingps suppress in

Set of competitions appropriate A #50000